

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College/Institute.. M.W. College of Nursing Godhani, Yavatmal
Faculty.. Nursing.....

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site		Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site		Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual <u>1:3</u>		Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) <u>85%</u>		Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)		NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)		-
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief

Any Other, Please Specify:-

Our college submitted proposal for demanding 200
beds to government hospital, Yavatmal. (Attached document)

Date:-


 Dean/ Principal Stamp & Signature
 MW college of nursing
 Godhani Ta&Dist Yavatmal

Chairman of LIC

Member Of LIC

Member Of LIC



महाराष्ट्र MAHARASHTRA

2023

97AA 776816




अ.क्र. 97AA/2023 मुद्रांक नं. 25/12/2023

[Signature]
बि. एम. बोंडे
मुद्रांक विक्रेता
प.क्र. ११ व १२/९६
जिल्हाधिकारी कार्यालय, यवतमाळ

नांव विघ्नाहर्ता ग्राम विकास संस्था

...

[Signature]



Memorandum of Understanding

This is to bring to your king information that, Memorandum of Understanding between Vighnaharta Gramin Vikas Sanstha's M. W. Nursing College, Jam Road, Ta. Dist. Yavatmal is being made agreement with Saishraddha Multispecialty Hospital and Research Institute, Arni Road, Yavatmal to provide the clinical practice for students from academic year 2024-25 to 2028-29. There is no objection from Hospital.





[Signature]
Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

Required facilities are made available for students.

The permission can have renewed after every five years. The bed strength is 50 beds.

The information submitted is true.


President
Vighnaharta Gramin Vikas Sanstha
Yavatmal




DR. VIJAY S. MOON
(M.D. Med.)
Reg. No. MMC/0310506
Sainradha Multi-Speciality
Hospital & Research Institute
Yavatmal-445700



Subscribed Me on this 8th day of Dec
2020 by Both parties
who is personally know to me/who has been
identified by Shri _____
signature _____ are liable to append
signature G. S. Baisani

G. S. Baisani
Notary & NOTARY




Principal
MW college of nursing
Godhani Ta&Dist Yavatmal





NEW

**Temporary Certificate of Registration under 5 of the
Bombay Nursing Homes Registration Act, 1949**

नियम ५ अन्वये (Under Rule 5)

क्रमांक No. : 368

दि बॉम्बे नर्सिंग होमच्या रजिस्ट्रेशन ॲक्ट अन्वये (डॉ. विजयकुमार शंकरराव मुन) यांचे
यवतमाळ येथील नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी
होम चालविण्यास तात्पुरता परवाना देण्यात येत आहे.

This is to certify that Dr. Vijaykumar Shankarrao Moon, MBBS.,
MD(Med) has been Temporary registered under the Bombay Nursing
Homes Registration Act, 1949 in respect of Situated at Saishradhha
Multispeciality Hospital And research institute, Sindhi Camp, Arni Road,
Wadgaon, Yavatmal And has been authorized to carry on the said
Nursing Home.

रजिस्ट्रेशन क्र. : ३६८

Registration No : 368

रजिस्ट्रेशन दि. : ०१/०३/२०२४

Date of Registration : 01/03/ 2024 Other Nursing Patients 50Cots

ठिकाण Place : Yavatmal

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Renewal Certificate : ०१/०३/२०२४

सदरचे सर्टिफिकेट तात्पुरत्या स्वरूपाचे असून दि. ३१.३.२०२६ पर्यंत वैध राहिल.


DR. VIJAY S. MOON
(M.D. Med)
Reg. No. MMCIOS ४५१६
Saishradhha Multispeciality
Hospital & Research Institute
Yavatmal-431001




Civil Surgeon
Civil Hospital, Yavatmal
Civil Surgeon, Civil Hospital
Yavatmal


Principal
MW college of nursing
Godhani Ta&Dist. Yavatmal

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 07172-251965
Fax: 07172-251965
Website: <http://mpcb.gov.in>
Email:
rochandrapur@mpcb.gov.in

Regional Office ,Udyog
Bhavan, 1st Floor,Opp. Bus
Stand, Railway Station
Road,Chandrapur-442401

ORANGE/S.S.I
No:- Format1.0/RO/UAN No.0000157921/CO/2305001847

Date: 24/05/2023

To,
M/s. Saishradha Multispecility Hospital & Research institute,
Arni Road, Yavatmal, Tal. Dist. Yavatmal-445001
Email:raahulsnet24@gmail.com
Contact No.:9921436365



Your Service is Our
Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Previous Bio-Medical Waste Authorization granted by the Board vide no. RO-CHANDRAPUR/BMW_AUTH/2210000185 dtd. 18/10/2022
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 31/12/2022

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-01-2023** To **31-12-2026**


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal



The capital investment of the HCF is ₹21.00 Lakhs (As per C.A Certificate Submitted by HCF)
 HCF Area: - Plot Area 168.00 M² with Built-up area 174.00 M².

Activities Included

- a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 157 valid upto 31-03-2024)
- I. General Beds : **25 Nos**
 - II. ICU/ICU Beds : **10 Nos**
 - III. Operation Theatre : **1 Nos**
 - IV Other Beds : **14 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 13 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr.No	Type of Waste	HWP No./Date	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	3.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	7.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	2.00
5.	Other such as agriculture, gardening, etc.	1.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-


Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	2.5	As per clause 'C'	100% Recycle
2	Trade effluent	8.5	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.


Principal
 MW college of nursing
 Godhani Ta&Dist Yavatmal



Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.

b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.

d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

f. D.G. Set shall be operated only in case of power failure.

g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Chandrapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


Principal

MW college of nursing

Godhani Taluk, Dist. Chandrapur



SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
Total			2,00,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal



SCHEDULE-IV

General Conditions

The following general conditions shall apply:-


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Chandrapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal



14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





Principal
MW college of nursing
Godhani Ta&Dist Yavatmal



महाराष्ट्र MAHARASHTRA

2024


28AB 513635



क्र. 96846/21/2025
विद्यार्थी, विद्यार्थी व विद्यार्थी यांच्यासाठी
दस्तावेज तैयार करून देण्याबाबतचे
यवतमाळ

वि. एम. बोंडे
मुद्रांक विक्रेता
प.क्र. ११ व १२/१६
जिल्हाधिकारी कार्यालय, यवतमाळ

Handwritten signature



Memorandum of Understanding

This is to bring to your king information that, Memorandum of Understanding between Vighnaharta Gramin Vikas Sanstha's M. W. Nursing College, Jam Road, Ta. Dist. Yavatmal is being made agreement with Dr. Anil Umare of Brainplus Superspeciality Hospital and Stroke Care Center, Yavatmal to provide the clinical practice for students from academic year 2024-25 to 2028-29. There is no objection from Hospital.



Handwritten signature
Principal
MW college of nursing
Godhani Ta&Dist Yavatmal


Required facilities are made available for students.

The permission can have renewed after every five years. The bed strength is 30 beds.

The information submitted is true.



Anil G. Umare
Dr. ANIL G. UMARE
M.D. MEDICINE
CONSULTANT NEUROLOGIST (MUMBAI)
REG. NO. 2004/12/3810



before me on this 8th day of Dec.
2023 by

Anil G. Umare
who is personally known to me and is
identified by Shri _____

Signature [Signature]
G.S. Baisani
Notary Public



[Signature]
Principal
MW college of nursing
Godhani Ta & Dist Yavatmal



NEW

**Temporary Certificate of Registration under 5 of the
Bombay Nursing Homes Registration Act, 1949**

नियम ५ अन्वये (Under Rule 5)

क्रमांक No. 372

मै. बी.के. नर्सिंग होमच्या रजिस्ट्रेशन अन्वये (डॉ. अनिल गोपीनाथ उमारे) यांचे
यवतमाळ येथील नर्सिंग होम / गॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व
गॅटर्निटी होम अतिरिक्त तात्पुरत्या घराणा येथील येत आहे.

This is to certify that Dr. ANIL GOPINATH UMARE, (MBBS MD,
DNB NEURO) has been Temporary registered under the Bombay Nursing
Homes Registration Act, 1949 in respect of 30 BEDED (THIRTY BEDED)
Situated at BRAIN PLUS SUPERSPECIALITY HOSPITAL, YAVATMAL And has
been authorized to carry on the said Nursing Home.

रजिस्ट्रेशन क्र ३७२

Registration No : 372

रजिस्ट्रेशन दि २३/०४/२०२४

Date of Registration : 23/04/ 2024

ठिकाण Place : Yavatmal

मॉर्टिमिकेट दि. याच दिनांक Date of issue of Renewal Certificate : २३/०४/२०२४


सदरचा मॉर्टिमिकेट तात्पुरत्या घराणाचे असून दि. ३१.३.२०२७ पर्यंत तोच राहिल

प्रसूतीसाठी ०० कोटस

Maternity 00 Cots

इतर रुग्णांसाठी ३० कोटस

Other Nursing Patients 30Cots



Dr. ANIL C. UMARE
M.D MEDICINE
DNB NEUROLOGY (MUMBAI)
CONSULTANT NEUROLOGIST
REG. NO. 804 / 13810




Civil Surgeon
Civil Hospital, Yavatmal
Civil Surgeon, Civil Hospital
Yavatmal


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal





Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M,& TM)n Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

General Information

UAN No:

MPCB-CONSENT-0000223133

Application submitted on:

09-10-2024

Industry Information

Industry Type:

O88 Health-care Establishment
(as defined in BMW Rules)

Category:

Orange

Scale:

S.S.I

Consent To:

Establish (New)

Submit to:

SRO - Chandrapur

Particulars of Applicant (Owner/Occupier/Any other Authorised Person)

First Name **Father / Husband Name**

Dr. ANIL GOPINATH

Mobile No **Telephone/Fax**

8693807733 8624932102

PAN No **Address**

AAVPU0802H SHINDE PLOT, VIMALRAJ CONCLAVE, NEAR DATTA CHOWK BUS STAND
YAVATMAL

Last Name

UMARE

Designation

DIRECTOR

Email

anilumare81@gmail.com

Aadhar No

483585925992

Pin Code

445001


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

2. Health Care Facility (HCF) Information

a) Name of the Health Care Facility

BRAIN PLUS SUPERSPECIALITY HOSPITAL

b) Address for Correspondance

Pin Code

445001

District

Yavatmal

City/Town

Yavatmal

Survey/Gut No.

7

Name of premises /Building

BRAIN PLUS SUPERSPECIALITY HOSPITAL

Road/Street

SHINDE PLOT

Area/Locality

Yavatmal

Email

anilumare81@gmail.com

Website URL

WWW.BRAINPLUS

c) Onwership of Facility

Private (Registered under company Act)

Land Ownership

Self Owned

d) Month and year of commissioning of the HCF

4/2024

e) Area of the Facility / Hospital

i) Total plot area (in square meter)

1200

ii) Built up area (in square meter)

1100

iii) Open Plot Area (Sq.Mtr)

100.00

f) Enter Latitude and Longitude of site (In degrees)

Latitude (In degrees)

20.07

Longitude (In degrees)

78.3

g) Does HCF have Operation Theatre

No

Number of OT

1

h) Does HCF have Laundry facility in premises

No

i) Does HCF have Canteen/Cafeteria facility in premises

No

j) Does HCF have Hostel/Residential quarters in premises

No

3. BMW Authorization Details

a) Type of health treatment system

Medicine, Other

b) Bombay Nursing Home Registration Details

Total number of Beds

30

BNH Registration Number

372

Valid Upto

31-03-2027

First Issued Date

23-04-2024

Certificate issuing Authority

Civil Surgeon

c) Diagnostic and Pharma Facilities available in Premises

Pathology Lab

Yes

Average Samples/day

12

Blood Bank

No


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

4. Consent Details

a) Sources of Water

i) Surface Water Yes

Name of the water supply Water Consumption Quantity (CMD)

BORE 10000

ii) Ground Water Yes

Number of Borewell Number of Openwell Qty of Water Extracted (CMD)

1 0 10000

Do you Have CGWA NOC No

iii) Tanker Water No

b) Water Consumption Details

Raw Water (CMD) Recycle Water (CMD) Total Water Quantity Requirement (CMD)

2 1 3

c) Water consumption for different uses (CMD)

Purpose	Consumption	Effluent Generation	Disposal
Domestic Purpose	2	1	On Land For Gardening
Pathology Laboratory, Floor washing, Operation Theater	1	0	Recycle
Laundry	0	0	Local Bodies Sewer
Industrial Cooling, spraying in mine pits or boiler feed	0	0	Recycle
Total	3.00	1.00	

d) Waste Water Treatment

Have you installed STP or ETP

No

e) Other waste generation details

1) Municipal Solid Waste

a) Biodegradable Waste(kg/day)

2.00

b) Recyclable Waste(kg/day)

2.80

c) Domestic Hazardous Waste(kg/day)

0.00

Air Pollution

Whether D.G. Set Installed

Yes

Capacity(KVA)	Make	Fuel Used	Fuel QTY	Unit	Stack Height in meter	Accoustic Enclosure for noise control
35	kv	Diesel	15.00	Ltr/day	132.00	NO

Do you have Boiler Installed

No

5. Additional Information

Do you have Bio Medical Waste Management Committee Constituted

Yes

Do you have Infection Control Committee Constituted

Yes

Principal
MW college of nursing
Godhani Ta&Dist Yavatmal



महाराष्ट्र MAHARASHTRA

© 2023 ©

97AA 776815



अ.क्र. 25/12/2024 दिनांक 25/12/2024

वि. एम. बॉडे

मुद्रांक विक्रेता

प.क्र. ११ व १२/१६

जिल्हाधिकारी कार्यालय, यवतमल

नांव विघ्नाहर्ता ग्राम विकास संस्था
25/12/2024
25/12/2024

Memorandum of Understanding

This is to bring to your king information that, Memorandum of Understanding between Vighnaharta Gramin Vikas Sanstha's M. W. Nursing College, Jam Road, Ta. Dist. Yavatmal is being made agreement with SAI KRUPA MULTISPECIALLITY HOSPITAL AND CHEST CARE UNIT ARNI ROAD , Yavatmal to provide the clinical practice for students from academic year 2024-25 to 2028-29. There is no objection from Hospital.




Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

Required facilities are made available for students.


The permission can have renewed after every five years. The bed strength is 30 beds.

The information submitted is true.


President
Vighnaharta Gramin Vikas Sanstha
Yavatmal




Bipin Chaudhari
Director
Saikrupa Multispecialty Hospital
& Chest Care Unit
Yavatmal



before Me on this 26th day of Dec.
2024 by Bipin Chaudhari
who is personally known to me/who has been
identified by Shri _____
signature _____ are here to append
G. S. Balsani
Advocate & Notary Public




Principal
MW college of nursing
Godhani Ta&Dist Yavatmal



NEW

**Temporary Certificate of Registration under 5 of the
Bombay Nursing Homes Registration Act, 1949**

नियम ५ अन्वये (Under Rule 5)

क्रमांक No. : 373

दि बॉम्बे नर्सिंग होमच्या रजिस्ट्रेशन अॅक्ट अन्वये (डॉ. संजय मुट्टेपोड आणि
संचालक श्री. बिपिन चौधरी) यांचे यवतमाळ येथील नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले
असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास तात्पुरता परवाना देण्यात येत आहे

This is to certify that Director Mr. Bipin A. Choudhary and Dr.
Sanjay Mutyepod (MBBS MD) has been Temporary registered under the
Bombay Nursing Homes Registration Act, 1949 in respect of 30
BEDED (THIRTY BEDED) Situated at SAIKRUPA MULTISPECIALITY HOSPITAL
YAVATMAL And has been authorized to carry on the said Nursing
Home.

रजिस्ट्रेशन क्र. : ३७३

Registration No : 373

रजिस्ट्रेशन दि. : २२/०५/२०२४

Date of Registration : 22/05/ 2024

ठिकाण Place : Yavatmal

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Renewal Certificate : २२/०५/२०२४

सदरचे सर्टिफिकेट तात्पुरत्या स्वरूपाचे असून दि. ३१.३.२०२७ पर्यंत वैध राहिल.



प्रसुतीसाठी ०० कॉट्स
Maternity ०० Cots.
इतर रुग्णासाठी ३० कॉट्स
Other Nursing Patients 30Cots


Civil Surgeon
Civil Hospital, Yavatmal
Civil Surgeon, Civil Hospital
Yavatmal
अध्यक्ष


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1987 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M,& T) Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

1. General Information

UAN No:
MPCB-CONSENT-0000215054

Application submitted on:
08-07-2024

Industry Information

Industry Type: O88 Health-care Establishment
(as defined in BMW Rules)

Category: Orange

Scale: S.S.I

Consent To: Establish (New)

Submit to: SRO - Chandrapur

Particulars of Applicant (Owner/Occupier/Any other Authorised Person)

First Name **Father / Husband Name**

Dr. SANJAY GIRMAJI

Last Name

MUTYEPOD

Designa

DIRECTO

Mobile No **Telephone/Fax**

9049728157 07232

Email

saikrupamultispeciality@gmail.com 5591905

Aadhar

PAN No **Address**

CYPM7170B ARNI ROAD, DHAMANGAON, YAVATMAL

Pin Code

445001


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

2. Health Care Facility (HCF) Information

a) Name of the Health Care Facility

SAIKRUPA
MULTISPECIALITY
HOSPITAL

b) Address for Correspondance

Pin Code	District	City/Town
445001	Yavatmal	Yavatmal
Survey/Gut No.	Name of premises /Building	Road/Street
ARNI ROAD YTL	SAIKRUPA MULTISPECIALITY HOSPITAL	ARNI ROAD
Area/Locality	Email	Website URL
Yavatmal	saikrupamultispeciality@gmail.com	WWW.SAIKRUPAO

c) Details of Contact Person

Name of the contact person	Contact No.	Email	Designation
DR SANJAY MUTYEPD	9049728157	saikrupamultispeciality@hmail.com	DIRECTOR

d) Onwership of Facility

Private (Registered under company Act)

e) Month and year of commissioning of the HCF

25/05/2024

f) Area of the Facility / Hospital

i) Total plot area (in square meter)	ii) Built up area (in square meter)	iii) Open Plot Area (Sq.Mtr)
600	500	100.00

g) Enter Latitude and Longitude of site (In degrees)

Latitude (In degrees)

20.38

Longitude (In degrees)

78.2

h) Gross capital investment of the HCF/CBWTF without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by certificate from Chartered Accountant / Balance sheet)

CA Certificate

Sr. No.	Fixed Assets	Amount (in lakh)
1	Land	1.3000
2	Building / Premises	1.2000
3	Plant & Machinery / Equipment	4.5000
4	Furniture / Fixture	3.8000
5	Any other movable / immovable fixed assets (Please specify)	
5.a	NA	NA
5.b	NA	NA
5.c	NA	NA
5.d	NA	NA
5.e	NA	NA
6	Capital Work in Progress (if any)	NA


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

1) Compliance of Location Criteria

Location of facility	Whether it is notified industrial area	Land Use Type	Land Ownership
Urban	No	Other (HOSPITAL)	Rent (Rent Aggrement Date: May 2024 12:00:00:000AM Validity Da Apr 30 2029 12:00:00:000AM)
j) Does HCF have Laundry facility in premises		No	
k) Does HCF have Canteen/Cafeteria facility in premises		No	
l) Does HCF have Hostel/Residential quarters in premises		No	

m) Number of Patient Treated per Day
OPD (Average Patient / Day) IPD / Admitted (Average Patient / Day)
 20 2

n) Name of the local body under whose jurisdiction the HCF is located.

ULB Type
 Municipal Council
ULB Name
 Yavatmal Municipal Council

o) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development Authority/ designated Authority

Planning Authority
 CIVIL SURGERY

Planning permission
 Occupancy Certificate

3. BMW Authorization Details

a) Discipline of Medicine
 Medicine

b) Bombay Nursing Home Registration Details

Total number of Beds	BNH Registration Number	Valid Upto	First Issued Date
50	373	31-03-2027	22-05-2024
Certificate issuing Authority			
Civil Surgeon			

Total Bed Break up

General Beds	ICCU/ICU Beds	Maternity Beds	Operation Theatre	Oncology Beds	Oth Bed
30	9	5	1		5

c) Diagnostic and Pharma Facilities available in Premises

Pathology Lab	Yes	Average Samples/day	3
Blood Bank	No		
X-Ray	No		
CT Scan	No		
MRI	No		
USG	No		
ECG/EEG	Yes	ECG Number Per Day	3
Medical Store / Pharmacy	No		


Principal
 MW college of nursing
 Godhani Ta&Dist Yavatmal

Details of Storage at Facility

Sr No	Type	Category	Temporary Storage Area			Avg. No Bag/Cont (Per Day)
			Length (Ft)	Width (Ft)	Height (Ft)	
1	Untreated BMW	Yellow	1.50	2.00	2.00	1.00
		Red	2.50	2.50	2.50	1.00
		Blue	2.50	2.00	2.00	1.00
		White	2.50	2.50	2.50	1.00

4. Consent Details

a) Sources of Water

i) **Surface Water** Yes

Name of the water supply Water Consumption Quantity (CMD)

BORWELL 5000

ii) **Ground Water** No

iii) **Tanker Water** Yes

Quantity of water (CMD) Source of tanker water (Surface, Borewell etc.)

10000 BOREWELL

b) Water Consumption Details

Raw Water (CMD) 2 **Recycle Water (CMD)** 1 **Total Water Quantity Requirement (CMD)** 3

c) Water consumption for different uses (CMD)

Purpose	Consumption	Effluent Generation	Treatment	Disposal
Domestic Purpose	2	1	NA	Local Bodies Sewer
Processing whereby water gets Polluted & Pollutants are Biodegradable	1	0	NA	Recycle
Processing whereby Water gets Polluted, Pollutants are not Biodegradable & Toxic	0	0	NA	Recycle
Industrial Cooling, spraying in mine pits or boiler feed	0	0	NA	Recycle
Total	3.00	1.00		

d) Waste Waster Treatment

Have you installed STP or ETP

No

e) Other waste generation details

1) **Municipal Solid Waste**

a) **Biodegradable Waste(kg/day)** 0 b) **Recyclable Waste(kg/day)** 2.00 c) **Domestic Hazardous Waste(kg/day)** 0

2) **E-Waste (Kg/Annum)** 0

3) **Plastic Waste (Kg/Annum)** 2.00

4) **Hazardous Waste (Kg/Annum)** 1.00


Principal
 MW college of nursing
 Godhani Ta&Dist Yavatmal

Yes

Capacity(KVA)	Make	Fuel Used	Fuel QTY	Unit	Stack Height in meter	Accoustic Enclosure for noise contr
35	KV	Diesel	3.00	Ltr/H	4.00	NO

Do you have Boiler Installed

No

Boiler Details

Make	Model	Combustion efficiency	Fuel Type	Qty	Shape (round/rectangular)
------	-------	-----------------------	-----------	-----	---------------------------

5. Additional Information

Do you have Bio Medical Waste Management Committee Constituted

Yes

Do you have Infection Control Committee Constituted

Yes



Principal
MW college of nursing
Godhani Ta&Dist Yavatmal



महाराष्ट्र MAHARASHTRA


2024

DH 869809




सं.क्र. 6171 दिनांक 17/12/25
नांव: विद्यालयाधीन ग्रामीण विकास संस्था
रा. यवतमाळ
जिल्हा: श्री. कृष्णल. मलकापूर (Kshatakapur)

प्र. शा. शुक्ल.
मुद्रांक विक्रीचा
परवाना क्र. २५ व २६/१९
विद्यालयाधीन कार्यालय, यवतमाळ



Memorandum of Understanding

This is to bring to your kind information that, Memorandum of Understanding between Vighnaharta Gramin Vikas Sanstha's M. W. Nursing College, Jamb Road, Ta. Dist. Yavatmal is being made agreement with Dr. Ulka Kharat of Agastya Hospital Ortho & Dental Care, Yavatmal to provide the clinical practice for students from academic year 2025-26 to 2029-30. There is no objection from Hospital.



Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

Required facilities are made available for students.

The permission can have renewed after every five years.
The bed strength is 20 beds.

The information submitted is true.

Shinde

Dr. Uika D. Shinde
B.D.S.
Reg.No.A-37878



WITNESSE ME ON THIS 18 day of Dec
2025 by

DR. UIKA D. SHINDE
who is personally known to me who has been
identified by Shri _____
signature

are here to appended
Cr. Baisani
G. S. Baisani
Advocate & NOTARY DURGAM

Q
Principal
MW college of nursing
Godhani Ta&Dist Yavatmal





DEPARTMENT OF PUBLIC HEALTH

Certification Of Registration

Under the Bombay Nursing Homes Registration Act, 1949 and Maharashtra Nursing Home Regulation Rules Amendment 2021

(Under Rule 5)

This is to certify that

Shri /Smt./Dr. ULKA DHULBARAO SHINDE has been registered under the Bombay Nursing Homes Registration Act Amendment 1949 in respect of AGASTYA HOSPITAL ORTHO & DENTAL CARE situated at PLOT 20 TIRUPATI SOCIETY PIMPALGAON YAVATMAL 445001 and has been authorized to carry on the said Nursing Home.

No. of Beds

A. Maternity Count	: 0
B. ICU(Adult) Count	: 2
C. ICU(Pediatric) Count	: 0
D. Other Count	: 18

Total : 20

Registration Number	: MH/YAVA/NH0390
Date of Registration	: 09-07-2025
Date of Issues Certificate	: 08-09-2025
Certificate is Valid upto	: 31-03-2028
Place	: YAVATMAL

Yavatmal


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 07172-272410
Fax: 07172-272410
Website: <http://mpcb.gov.in>
Email:
srochandrapur@mpcb.gov.in



Sub-Regional Office, Udyog
Bhavan, 1st Floor, Opp. Bus
Stand, Railway Station
Road, Chandrapur-442401

GREEN/S.S.I

Date: 16/08/2025

No:- Format1.0/SRO/UAN No.0000251661/CO/2508001996

To,
M/s. Agastya Hospital Ortho and Dental Care
Near Timber Bhavan, Gandhinagar,
Dhamangaon Road, Yavatmal,
Tal. & Dist. Yavatmal-445001
Email: agastyahospital@outlook.com
Contact No.: 8810289663



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 26/06/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-10-2024** To **01-10-2027**
2. HCF Area : - Plot Area 279.00 M² with Built-up area 500.00 M².
3. **Activities Included**
 - a. Total Number of Beds : **20 Nos.** (As per BNH certificate no. 361 valid upto 31-03-2025)
 - i. General Beds : **20 Nos**
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **M/s Jaywant Industry, Yavatmal** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 0.10 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Chandrapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Generated by PrintrBlock
8e4231d6
38e425d4
6d88bf2a
28ec2437
145c6ee3
893d58f9
206f9139
3dfc8745

Signed by: Umashankar Bhadule
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
srochandrapur@mpcb.gov.in
2025-08-16 09:20:27 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	10000.00	TXN2506005624	26/06/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Chandrapur for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.


Principal
 MW college of nursing
 Godhani Ta&Dist Yavatmal

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Pathology Laboratory, Floor washing, Operation Theater	0.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.0	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.


Principal
 MW college of nursing
 Godhani Ta&Dist Yavatmal

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Principal
 MW college of nursing
 Godhani Ta&Dist Yavatmal

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Jaywant Industry, Yavatmal Yavatmal
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	2.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Jaywant Industry, Yavatmal Yavatmal
3	White (Translucent)	Waste sharps including Metals	1.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Jaywant Industry, Yavatmal Yavatmal
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Jaywant Industry, Yavatmal Yavatmal
		b) Metallic body implants	0.00		


Principal
MW college of nursing
 G. Jhansi Ta & Dist Yavatmal

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **M/s Jaywant Industry, Yavatmal** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Chandrapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


Principal

MW college of nursing
Godhani Ta & Dist Yavatmal

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To comply the conditions mentioned in combined consent to operate and BMW Authorization	Continuous	10,000.00
Total			10,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Chandrapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


Principal

MW college of nursing

Godhani Ta&Dist Yavat

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.


Principal
MW college of nursing
Godhani Ta&Dist Yavatmal



महाराष्ट्र MAHARASHTRA

© 2024 ©

DH 869808



म.क्र... 6170 दिनांक... 17-12-25


नांव : ~~विद्यार्थी~~ विद्यार्थी आश्रम विकास संस्था

प्र. श्री. शुक्ल

रा. यवतमाळ

मुद्रांक विक्रेता

श्री कृष्ण मलकापुरे



Memorandum of Understanding

This is to bring to your kind information that, Memorandum of Understanding between Vighnaharta Gramin Vikas Sanstha's M. W. Nursing College, Jamb'Road, Ta. Dist. Yavatmal is being made agreement with Dr. Anil Sheshrao Akhare of Shivneri Children Hospital and Cardiac Center, Yavatmal to provide the clinical practice for students from academic year 2025-26 to 2029-30. There is no objection from Hospital.



Principal
MW college of nursing
Godhani Ta & Dist Yavatmal



Required facilities are made available for students.

The permission can have renewed after every five years.

The bed strength is 15 beds.

The information submitted is true.



As Akhare

Dr. Anil S. Akhare
MBBS/DCH.

Fellowship in Neonatology
Fellowship in Ped. Echocardiography
MMC No. 25170e4018

शिवनेरी चिल्ड्रन्स हॉस्पिटल
अँड कार्डियाक सेंटर
साई श्रद्धा हॉस्पिटल जबळ, अर्णीरोड,
74099110685

Attested on this 18 day of Dec

2025 by Dr. Anil S. Akhare

who is personally known to me/whom has been
identified by Shri _____

signature are here to appended
G. S. Balsani

G. S. Balsani
Advocate & NOTARY PUBLIC



(Signature)

Principal

MW college of nursing
Godhani Ta&Dist Yavatmal



RENEWAL

**Temporary Certificate of Registration under 5 of the
Bombay Nursing Homes Registration Act, 1949**
नियम ५ अन्वये (Under Rule 5)

REG No. 343

दि बॉम्बे नर्सिंग होमच्या रजिस्ट्रेशन अॅक्ट अन्वये डॉ. अनिल शेषराव आखरे यांचे
यवतमाळ पोथोल नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले अनुग सदरचे नर्सिंग होम व मॅटर्निटी
होम यवतमाळ ताल्लुका परजगा देण्यात येत आहे.

This is to certify that Dr. ANIL SHESHRAO AKHARE (MBBSMD) has
been Temporary registered under the Bombay Nursing Homes
Registration Act, 1949 in respect of 15 beded (FIFTEEN Beded) Situated at
SHIVNERI CHILDRENS HOSPITAL, NEAR SAI SHRADHA HOSPITAL, ARNI
ROAD And has been authorized to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. : ३४३

प्रसुतीसाठी ०० कॉट्स

Registration No : 343

Maternity 00 Cots.

रजिस्ट्रेशन नूतनीकरण दि. 01/04/2025

इतर रुग्णासाठी १५ कॉट्स

Date of Renewal Registration : 01/05/2025

Other Nursing Patients 15Cots

ठिकाण Place : Yavatmal

मॅट्रिफिकेट दिव्याचा दिनांक Date of issue of Renewal Certificate : 01/04/2025

सदरचे मॅट्रिफिकेट वात्पुरत्या स्वरुपाचे असून दि. ३१/०३/२०२६ पर्यंत वैध राहिल



[Signature]
Civil Surgeon

Civil Hospital, Yavatmal
Civil Surgeon, Civil Hospital
Yavatmal

[Signature]
Dr. Anil S. Akhars

MBBS, DCH

Fellowship in Paediatrics
Fellowship in Ped. Ecology
MMC

[Signature]
Principal

MW college of nursing
Godhani Ta & Dist Yavatmal

VIGHNAHARTA GRAMIN VIKAS SANSTHA, YAVATMAL
M.W. COLLEGE OF NURSING

Affiliated to MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK (M.S.)

Godhani, Yavatmal - 445 001, Email- mwcon25@gmail.com Mob. +917875710508

Letter No: MWcon/2025-26/43/25

Date 18/12/2025

To,

The director

Dr. Anil Umre

Brain Plus Superspeciality

Hospital, and stroke Case Center, Yavatmal

Subject R -Regarding clinical Experience for B.Sc Nursing 1st semester students .

Respected Sir,

As per the above subject kindly, give us permission for conducting clinical duty for B.Sc Nursing 1st Semester (10) students in your esteemed hospital from 22/12/2025 to 03/01/2026.

Number of students-10

Thanking you.

Date- 18/12/2025

Place- Yavatmal

Principal



K. S. Kulkarni
Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

Anil Umre
Dr. ANIL C. UMRE
D.N.B. (N) (MUMBAI)
CONSULTANT NEPHROLOGIST
REG. NO. 2212/12/1979

A.
Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

VIGHNAHARTA GRAMIN VIKAS SANSTHA, YAVATMAL

M. W. COLLEGE OF NURSING

Affiliated to MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK (M.S.)

📍: Godhani, Yavatmal (M.S.) - 445 001 📧: mwcon25@gmail.com 📞: 7875710508

• Principal (I/C) •

Shri. Krunal Malkapure

• President •

Shri. Pradip Wadafale

Letter No. MWCON/2025-26/48/25

Date 01/01/2026

To,

The Director

Dr. Vijay Moon

Saishraddha Multispecialty Hospital, yavatmal

Yavatmal- 445001

Subject - Regarding clinical Experience for B.Sc Nursing 1st semester students .

Respected Sir,


As per the above subject kindly, give us permission for conducting clinical duty for B.Sc Nursing 1st Semester (10) students in your esteemed hospital from 05/01/2026 to 31/01/2026.

Number of students-10

Thanking you.

Date- 01/01/2026

Place- Yavatmal



Principal
Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

o/c Received

Dr. VIJAY S. MOON
(M.D. Med)
Reg. No. MMAC/03/506
Saishraddha Multispecialty
Hospital & Research Institute
Yavatmal-445001

Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

M.W. COLLEGE OF NURSING

Affiliated to MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK (M.S.)

Godhani, Yavatmal - 445 001, Email- mwcon25@gmail.com Mob. +917875710508

Letter NO. MWCON/2025-26/23/25

Date 11/09/2025

प्रति,

मा. आयुक्त

वैद्यकीय शिक्षण व संशोधन

मुंबई.

विषय:- आमच्या M.W. College of Nursing यवतमाळ महाविद्यालयास शैक्षणिक प्रयोजनासाठी खाता परवानगी मिळणे बाबत.

संदर्भ:- जा.क्र. श्री. व. ना. शै. म. व. रु. यवतमाळ/आस्था-३/६६५५-५६/२०२५ दि. ११/०९/२०२५

महोदय,

वरील विषयांस अनुसरून विनंती कि, आमचे M.W. College of Nursing यवतमाळ येथे B.Sc नर्सिंग च्या कोर्स साठी (४० क्षमता असलेले) विद्यार्थी रुद्यास्थित शिक्षण घेत आहेत. शै.वर्ष २०२६-२७ साठी आमची ४० क्षमते दरून १०० प्रवेश क्षमता करणेसाठी आम्ही रितसर प्रस्ताव दाखल केला आहे त्यासाठी आमच्या महाविद्यालयात शिक्षण घेणाऱ्या विद्यार्थ्यांना (१०० प्रवेश क्षमता) रुग्णालयातील प्रात्याक्षिता करिता कमीत कमी २०० खाता प्रात्यक्षिक साठी गरजेचे आहे.

तरी विनंती कि आमच्या महाविद्यालयात २०० खाता प्रात्यक्षिकासाठी आपली परवानगी मिळावी हि विनंती.

दिनांक:- 11/09/2025

स्थळ:- यवतमाळ

K. S. Makapure
अपिता विश्वामरू
Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

S. S. S. S.
०८/११/२०२६
यवतमाळ यावतमाळ विद्यापीठ
वैद्यकीय व संशोधन
मुंबई

Q
Principal
MW college of nursing
Godhani Ta&Dist Yavatmal

प्रति,
मा.आयुक्त,(वैद्यकीय शिक्षण)
वैद्यकीय शिक्षण व संशोधन,
मुंबई

विषय :- एम डब्ल्यु कॉलेज ऑफ नर्सिंग, यवतमाळ यांना शैक्षणिक प्रयोजनासाठी खाटा परवानगी मिळणेबाबत...

संदर्भ :- प्राचार्य, एम डब्ल्यु कॉलेज ऑफ नर्सिंग, जाम रोड, वडगाव, यवतमाळ यांचे अर्ज दिनांक २१.०८.२०२५

मा.महोदय,

उपरोक्त विषयाच्या अनुषंगाने एम. डब्ल्यु. कॉलेज ऑफ नर्सिंग, जाम रोड, वडगाव, यवतमाळ ह्यांनी बी. एस. सी. नर्सिंग अभ्यासक्रमाच्या विद्यार्थ्यांना रुग्णालयातील प्रात्यक्षिकाकरीता परवानगी मिळणेबाबतचा प्रस्ताव संदर्भिय पत्रान्वये या कार्यालयास सादर केलेला आहे.

करीता सदर संस्थेकडून प्राप्त प्रस्ताव आपल्या माहिती तथा पुढील योग्य कार्यवाहीकरीता सविनय सादर.


(डॉ.अनिल कृष्णराम बेत्रा)

एम.डी;एल.एल.जी

अधिष्ठाता

श्री.वसंतराव नाईक शासकीय वैद्यकीय महाविद्यालय व रुग्णालय
यवतमाळ

प्रत,

प्राचार्य, एम डब्ल्यु कॉलेज ऑफ नर्सिंग, जाम रोड, वडगाव, यवतमाळ